

Docket No.: P-107

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Joong-Kyu CHOI

Serial No. 09/641,679

Group Art Unit: 2631

Confirm. No.: 7088

Examiner: Shuwang LIU

Filed: August 18, 2000

Customer No.: 34610

For: APPARATUS AND METHOD FOR MEASURING THE BIT ERROR RATIO OF A TRANSMISSION SYSTEM

U.S. Patent and Trademark Office
2011 South Clark Place
Customer Window, Mail Stop Non-Fee Amendment
Crystal Plaza Two, Lobby, Room 1B03
Arlington, VA 22202

RECEIVED

JAN 14 2004

Technology Center 2600

Dear Sir:

Transmitted herewith is an Amendment and/or Reply in the above identified application.

☐ No additional fee is required.

☒ Also attached: Petition for Extension of Time

The fee has been calculated as shown below:

	NO. OF CLAIMS	HIGHEST PREVIOUSLY PAID FOR	EXTRA CLAIMS	RATE	FEE
Total Claims	27	22	5	x \$18 =	\$90.00
Independent Claims	9	5	4	x \$86 =	\$344.00
If multiple claims newly presented, add \$290.00					
Fee for extension of time					\$110.00
TOTAL FEE DUE					\$544.00

☐ Please charge my Deposit Account No. 16-0607 in the amount of \$. An additional copy of this transmittal sheet is submitted herewith.

☒ A check in the amount of \$ 544.00 (Check # 11041) is attached.

☒ The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment, to Deposit Account No. 16-0607, including any filing fees under 37 C.F.R. 1.16 for presentation of extra claims and any patent application processing fees under 37 C.F.R. 1.17.

Respectfully submitted,
FLESHNER & KIM, LLP

Daniel Y.J. Kim
Registration No. 36,186
Samuel W. Nturos
Registration No. 39,318

P.O. Box 221200
Chantilly, Virginia 20153-1200
703 766-3701 DYK/SWN/JHK:cre

Date: January 8, 2004

Please direct all correspondence to Customer Number 34610